

UL Product iQ™



TGAM.R18026 - ROOF-COVERING MATERIALS, IMPACT RESISTANCE

Roof-covering Materials, Impact Resistance

See General Information for Roof-covering Materials, Impact Resistance

CENTRAL STATES MFG INC

R18026

302 JANE PL

LOWELL, AR 72745-0919 USA

Class 4 formed steel roof panels, Model(s) CD 2000, Central Seam Plus, Central Snap, Central Span, Central-Loc, Horizon-Loc, M-Loc, Panel Loc, Panel Loc Plus, R-Loc

Last Updated on 2018-02-06

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).
2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"



TGAM.GuideInfo - ROOF-COVERING MATERIALS, IMPACT RESISTANCE

[Roof-covering Materials] Roof-covering Materials, Impact Resistance

See General Information for Roof-covering Materials

USE

This category covers Classes A, B and C roof-covering materials investigated for impact resistance.

Unless otherwise indicated in the individual certifications, the roof coverings are intended for application to solid wood decks, including 3/8-in. thick (minimum) plywood or 3/8-in. thick (minimum) nonveneer APA Rated Series Sheathing (oriented strandboard, structural particleboard, composite panels, or waferboard).

Unless otherwise indicated in the individual certifications, the certifications are applicable for new work only, not for recovering purposes.

Where indicated in the individual certifications, products covered under this category have also been evaluated by ICC Evaluation Service (ICC-ES).

CLASS DESIGNATIONS

The certifications for impact resistance are expressed as Class 1, 2, 3 or 4, which relate to a roof covering's ability to withstand impacts from 1-1/4, 1-1/2, 1-3/4 and 2 in. diameter steel balls, respectively. The acceptance criteria used to establish roof-covering materials certifications are as follows:

Prepared Roof-covering Materials

Withstand the assigned class designation impact without visible evidence of tearing, fracturing, cracking, splitting, rupture, crazing or other opening of the roof-covering layer.

Roofing Systems — Fluid-applied Coating Systems

Withstand the assigned class designation impact without visible evidence of tearing, fracturing, cracking, splitting, rupture, crazing or other opening which would expose the roof deck to the effects of weather.

Roofing Systems — Single-ply Membrane Systems

Withstand the assigned class designation impact without visible evidence of tearing, fracturing, cracking, splitting, rupture, crazing or other opening which would expose the substrate beneath the membrane to the effects of weather.

Roofing Systems — Spray-applied Foam and Coating Systems

Withstand the assigned class designation impact without visible evidence of tearing, fracturing, cracking, splitting, rupture, crazing or other opening which would expose the foam to the effects of weather.

Roofing Systems — Other Systems

Metal Roof Panels — Withstand the assigned class designation impact without visible evidence of tearing, fracturing, cracking, splitting, rupture, crazing or other opening of the roof-covering layer.

FACTORS NOT INVESTIGATED

The effects of weathering on the impact resistance of these materials have not been investigated.

ADDITIONAL INFORMATION

For additional information, see Roof-covering Materials (TEVT) and Roofing Materials and Systems (AARM).

REQUIREMENTS

In order to be eligible for certifications under this category, roof-covering materials must also be certified under Prepared Roof-covering Materials (TFWZ), Prepared Roof-covering Materials, Formed or Molded Metal, Fiber-Cement, Plastic or Fire-retardant-treated Wood (TFXX) or Roofing Systems (TGFU).

The certifications for impact resistance are derived from tests conducted in accordance with UL 2218, "Impact Resistance of Prepared Roof-covering Materials."

UL MARK

The Certification Mark of UL on the product or on the smallest unit packaging is the only method provided by UL to identify products manufactured under its Certification and Follow-Up Service. These products bear the Certification Mark for Prepared Roof-covering Materials (TFWZ), Prepared Roof-covering Materials, Formed or Molded Metal, Fiber-Cement, Plastic or Fire-retardant-treated Wood (TFXX) or Roofing Systems (TGFU).

An optional marking may appear on each shingle, only when the complete Certification Mark noted above is provided on each smallest unit package. This marking includes the UL symbol and the statement "IMPACT RESISTANCE CLASS +."

+ 1, 2, 3 or 4

Additional Certification Markings

Products covered under this category are additionally marked with the following information:

**ALSO CERTIFIED AS TO IMPACT RESISTANCE
CLASS +**

+ 1, 2, 3 or 4

Alternate UL Mark

The Classification Mark of UL on the product is the only method provided by UL to identify products manufactured under its Classification and Follow-Up Service. The Classification Mark for these products includes the appropriate Listing Mark for Prepared Roof-covering Materials (TFWZ), Prepared Roof-covering Materials, Formed or Molded Metal, Fiber-Cement, Plastic or Fire Retardant-treated Wood (TFXX), or Classification Mark for Roofing Systems (TGFU), and the following additional information:

**ALSO CLASSIFIED AS TO IMPACT RESISTANCE
CLASS +
Control No.**

In addition, an optional marking may appear on each shingle, only when the complete Listing/Classification Mark noted above is provided on each package. This marking includes the UL symbol, the word "CLASSIFIED" above the UL symbol (as illustrated in the Introduction of this Directory), and the statement "IMPACT RESISTANCE CLASS +."

+ 1, 2, 3 or 4

* * * * *

UL, in performing its functions in accordance with its objectives, does not assume or undertake to discharge any responsibility of the manufacturer or any other party. UL shall not incur any obligation or liability for any loss, expense or damages, including incidental or consequential damages, arising out of or in connection with the use, interpretation of, or reliance upon this Guide Information.

Last Updated on 2014-01-09

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions:

1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings).
2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2019 UL LLC"